


GENERAL BASIN MAP NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION








General Surface Water Features


W

NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION





Precipitation Gages



NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION




Figure LN-4. Annual Precipitation at Ainsworth.




Figure LN-5. Growing Season (May-September) Precipitation at Ainsworth.




Figure LN-6. Annual Precipitation at Butte.




Figure LN-7. Growing Season (May-September) Precipitation at Butte.




Figure LN-8. Annual Precipitation at Rushville.




Figure LN-9. Growing Season (May-September) Precipitation at Rushville.




Figure LN-10. Annual Precipitation at Valentine.




Figure LN-11. Growing Season (May-September) Precipitation at Valentine.




Table LN-1. – Aquifers in unconsolidated surficial deposits (modified from Cronin and Newport, 1995; Souders, 1976; Newport and Krieger, 1959)

System	Hydrogeologic unit	Character and description	Maximum thickness, in feet	Hydrogeologic characteristics	
Quaternary	Recent to Late Pleistocene Deposits	Gravel, sand, silt, and clay. Includes dune sand and loess in upland areas and thin alluvial deposits below the floors of principal valleys.	150	An important source of water where saturated. Beds of sand and gravel below bottom lands yield small to moderate amounts of water to wells. Some deposits mantling upland areas may also serve as water sources. Variable water quality, generally suitable for livestock and domestic use. Water from river valleys may contain more dissolved iron.	
	Early Pleistocene Deposits	Gravel, sand, silt and clay in upland areas. Generally south of the Niobrara River.	175	Thick saturated deposits of sand and gravel yield moderate to large quantities of water to wells.	
	Dune Sand	Wind-blown very fine to fine sand.	200	Yields large supplies to stock wells tapping thick sequences of saturated sand.	
	Grand Island Formation	Cross-bedded sand and gravel deposits derived mostly from granitic crystalline rocks.	100	Yields moderately large to large amounts of water tapping thick sequences of saturated material.	
	Holdrege Formation	Sand and gravel made up mostly of reworked Tertiary material and some quartz and granitic crystalline material.	50	Yields large supplies of water.	

Table LN-2. – Characteristics of bedrock aquifers (modified from Cronin and Newport, 1995; Souders, 1976; Newport and Krieger, 1959)

System	Hydrogeologic unit	Character and description Character and description Maximum thickness, in feet		Hydrogeologic characteristics	
	T	T	T	T	
Tertiary	Ogallala Group	Fine to medium sand and silt containing volcanic ash; calcareous in places. Some lower sands are cemented with silica. Contains fossil seeds and vertebrates.	400	Yield small to moderately large amounts of water to wells tapping thick beds of saturated material.	
	Miocene (?) Silt Beds	Silt, clay, siltstone and claystone beds containing lime concretions in places and may be gravelly in lower part.	80	Source of water to stock and domestic wells in some places. Excellent water quality.	
	Brule Formation	Sandy siltstone.	350	Not a source of water, but test drilling indicates that water is locally present under artesian pressure.	
Cretaceous	Pierre Shale	Claystone, Shale, chalk to chalky shale.	800	Yields little or no water to wells, generally very poor quality. Some wells tapping thin zone of saturation in overlying rocks extend into upper Pierre shale to provide storage space for water draining from saturated zone.	
	Niobrara Formation Chalk, shaly chalk, shal		220	Not an important water source. Secondary porosity in upper part may provide water to wells in Missouri River valley.	
	Codell Sandstone Member of the Carlile Shale	Sandstone, siltstone and clayey siltstone.	60	Yields mineralized water. Satisfactory for livestock and domestic purposes.	

Table LN-2. – Characteristics of bedrock aquifers--Continued


System	Hydrogeologic unit	Character and description	Maximum thickness, in feet	Hydrogeologic characteristics	
	Dakota Sandstone	Fine to coarse sandstone interbedded with siltstone, clay, carbonaceous shale, and sandy shale.	750	Good source of water with some flowing wells. Yields small to moderate amounts of water that is mineralized. Water is good quality for livestock but limited suitability for domestic use.	
Permian to Cambrian	Undifferentiated Sedimentary Rocks	Mostly limestone and dolomite with some sandstone and shale.	250	Not a source of water. But some units would probably yield water to wells, but water would likely be highly mineralized.	



Bedrock Geology




NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION






Saturated Thickness



NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION






Depth to Water


$W \longrightarrow E$

NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION






Transmissivity



NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION






Specific Yield

$W \longrightarrow E$

NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION






1995 Ground Water Table




NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION





Depletive Ground Water Wells NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION









High Capacity Wells by Completion Years NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION










Figure LN-21 By Shuhai Zheng, 12/9/2005

Table LN-3. Average Irrigated Acreage 1950-2003 for Counties Fully or Partially in the Niobrara River Basin below Mirage Flats Diversion

	Estimated Average Irrigated Acreage by County						
County Name	Percent of County in	1950-1959	1960-1969	1970-1979	1980-1989	1990-1999	2000-2003
·	Niobrara Basin						
Antelope	18	3140	14709	89076	160910	184990	213225
Boyd	100	151	621	3593	5820	5740	4600
Brown	60	1995	10633	46396	52650	49940	47775
Cherry	62	139	2852	19585	27460	26650	25350
Dawes	12	950	5274	7678	15570	14150	11125
Garden	<1	3798	9278	19728	31360	31940	31825
Holt	43	2746	27950	133669	195120	210960	220725
Keya Paha	100	190	1336	9689	8690	9810	10475
Knox	39	677	3535	17682	35420	43430	49875
Morrill	<1	11600	31720	59118	85260	97870	107750
Rock	22	115	1646	27958	38410	37150	36825
Sheridan	63	4211	15936	30268	52550	53330	48800
Total		29712	125490	464440	709220	765960	808350
% Change from							
Previous 10							
Years			322.35%	270.10%	52.70%	8.00%	5.53%


^{*} The percentage is the percentage of the county area which is in the Niobrara Basin. It does not necessarily represent the percentage of irrigated county acreage in the Niobrara River Basin.

Data Source: http://www.usda.gov/nass/, National Agricultural Statistics Service, U.S. Department of Agriculture



Ground Water-level Changes Pre-development to 2005 NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION









Hydrograph Locations NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION







Ground-Mater Level, in feet below surface



Altitude of Water


Provisional Data Subject to Revision

Brown County, Nebraska
Hydrologic Unit Code 10150004
Latitude 42°35'27", Longitude 99°52'15" NAD27
Land-surface elevation 2,519.00 feet above sea level NGVD29
The depth of the well is 94.0 feet below land surface. This well is completed in the QUATERNARY SAND DEPOSITS (112SDGV) local aquifer.

Figure LN-24

≅USGS

USGS 423749100515501 31N 30W29CA 1




Provisional Data Subject to Revision

Cherry County, Nebraska
Hydrologic Unit Code 10150005
Latitude 42°37'49", Longitude 100°51'55" NAD27
Land-surface elevation 2,952.9 feet above sea level NGVD29
The depth of the well is 105 feet below land surface.
This well is completed in the TERTIARY OGALLALA GROUP DEPOSITS (112SDGV) regional aquifer.

Figure LN-25






Provisional Data Subject to Revision

Cherry County, Nebraska
Hydrologic Unit Code 10150003
Latitude 42°56'36", Longitude 101°30'09" NAD27
Land-surface elevation 3,210 feet above sea level NGVD29
The depth of the well is 21.0 feet below land surface.
This well is completed in the QUATERNARY SAND DEPOSITS (112SDGV) local aquifer.

Figure LN-26





Keya Paha County, Nebraska
Hydrologic Unit Code 10150006
Latitude 42°50'50", Longitude 99°47'20" NAD27
Land-surface elevation 2,376.00 feet above sea level NGVD29
The depth of the well is 30.0 feet below land surface.
This well is completed in the TERTIARY OGALLALA GROUP DEPOSITS (112SDGV) regional aquifer.

Figure LN-27



Stream Gages

$W \longrightarrow E$

NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION




Figure LN-29. Annual Flows, Minnechaduza Creek near Valentine.




Figure LN-30. Annual Flows, Snake River at Doughboy.




Figure LN-31. Annual Flows, Snake River near Burge.




Figure LN-32. Annual Flows, Keya Paha River near Naper.




Figure LN-33. Annual Flows, Plum Creek at Meadville.




Figure LN-34. Annual Flows, Long Pine Creek near Riverview.




Figure LN-35. Annual Flows, Niobrara River near Sparks.




Figure LN-36. Annual Flows, Niobrara River near Norden.




Figure LN-37. Annual Flows, Niobrara River near Spencer.





Figure LN-38. Annual Flows, Niobrara River near Verdel.






Figure LN-39 11/30/2005 by Shuhai Zheng




Figure LN-40 11/30/2005 by Shuhai Zheng



Surface Water Points of Diversion NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION







Figure L-42 Annual Diversions, Ainsworth Canal.






Corn Irrigation Requirement NIOBRARA RIVER BASIN BELOW MIRAGE FLATS DIVERSION



Planning and Assistance Division



Bibliography of Hydrogeologic References for Niobrara BasinBelow Mirage Flats Diversion

Citation	Aadland, A.J., 1959, The mapping and field stratigraphy of the Monroe Creek formation in the Wildcat Ridge in Morrill, Scotts Bluff, and Banner Counties, Nebraska, Thesis (M.S.)University of Nebraska (Lincoln campus),1959.
Citation	Bailey, B.E., 2001, Miocene stratigraphy of the Niobrara River valley, western Cherry County, Nebraska, Thesis (M.S.)University of NebraskaLincoln, 2001
Citation	Bentall, R.& Hamer, T., 1980, Stream-Aquifer Relationships in Nebraska: UNL Conservation and Survey Division and Nebraska Department of Water Resources, 102 pages, 171 illustrations.
Citation	Boohar, J.A., and Provaznik, Mary Kay, 1996, Peak flows for the period of record for current and discontinued streamflow stations in Nebraska: U.S. Geological Survey Open-File Report 96-101, 518 p.
Citation	Bradley, E., and Rainwater, F., 1956, Geology and ground-water resources of the upper Niobrara River basin, Nebraska and Wyoming, with a section on chemical quality of water: U.S. Geological Survey Water-Supply Paper 1368, 70 p.
Citation	Brandhorst, L.C., 1965, An analysis of risks in surface-irrigated agriculture: the Scotts Bluff and Morrill County area of Nebraska, Thesis (M.A.)University of Nebraska (Lincoln campus)—1965.
Citation	Carlson, M.P., 1993, Geology, Geologic Time and Nebraska: Conservation and Survey Division Educational Circular No. 10, August 1993, 60 pages.

Citation	CH2M Hill, 1974, Pumped-Storage Project Plant Comparisons at Boyd County: Nebraska Public Power District, 137 pages.
Citation	Channel, C.B., 1901, Third Biennial Report of the State Engineer, Secretary of the State Board of Irrigaion to the Governor of Nebraska 1899 abd 1900: Hunter Woodruff Printing Co. Lincoln, Nebraska, 220 pages.
Citation	Chen, H.H. and Druliner, A.D., 1987, Nonpoint-source agricultural chemicals in ground water in Nebraska—Preliminary results for six areas of the High Plains aquifer: U.S. Geological Survey Water-Resources Investigations Report 86-4338, 68 p.
Citation	Colby, B.R. and Hembree, C.H., 1955, Computations of Total Sediment Discharge Niobrara River Near Cody, Nebraska: U.S. Geological Survey Water-Supply Paper 1357,187 pages, 7 plates.
Citation	Cronin, J.G., Newport, T.G., and Krieger, R.A., 1956, Ground-water resources of the Ainsworth unit, Cherry and Brown Counties, Nebraska: U.S. Geological Survey Water-Supply Paper 1371, 120 p.
Citation	Dickinson, K.A., 1988, A preliminary statistical analysis of some chemical and mineralogic data from lacustrine beds in the Oligocene White River Group in Dawes County, Nebraska, Denver, Colo.?]: U.S. Dept. of the Interior, Geological Survey: [Books and Open-File Reports Section, distributor], 1988.
Citation	Diffendal, R. F., Jr., 1993. Niobrara River Basin Geological References, Including Parts of South Dakota Both in and Outside of the Basin (GIM-53): 12 pp., Nebraska Geonotes Series.

Citation	Diffendal, R.F. and Voorhies, M.R., 1994, Geologic Framework of the Niobrara River Drainage Basin and Adjacent Areas in South Dakota Generally East of the 100th Meridian West Longitude and West of the Missouri River: UNL Conservation and Survey Division Report of Investigations No. 9, 13 pages.
Citation	Druliner, A.D., Chen, H.H., and McGrath, T.S., 1996, Relations of nonpoint-source nitrate and atrazine concentrations in the High Plains aquifer to selected explanatory variables in six Nebraska study areas: U.S. Geological Survey Water-Resources Investigations Report 954202, 51 p.
Citation	Druliner, A.D., 1997, Water quality and chemical evolution of ground water in the Long Pine Creek area, Brown and Rock Counties, Nebraska, 1993-94: U.S. Geological Survey Water-Resources Investigations Report 96-4095, 47 p.
Citation	Dugan, J. T., 1984, Hydrologic characteristics of Nebraska soils: U.S. Geological Survey Water-Supply Paper 2222, 19 p., 12 pls.
Citation	Dugan, J.T., and Zelt, R.B., 2000, Simulation and analysis of soil-water conditions in the Great Plains and adjacent areas, central United States, 1951-80: U.S. Geological Survey Water-Supply Paper 2427, 81 p.
Citation	Ellis, M.J., Engberg, R.A., Kastner, W.M., and Steele, E.K., Jr., 1985, Nebraska ground-water resources, in National Water Summary 1984-hydrologic events, selected water-quality trends, and ground-water resources: U.S. Geological Survey Water-Supply Paper 2275, p. 291-296.
Citation	Evander, R.L., 1978, Rocks and faunas of the type section of the Valentine Formation. Thesis (M.S.)University of Nebraska, Lincoln.
Citation	Fischer, E.E., 1987, Estimation of streamflow characteristics and assessment of trends in the Niobrara River at Mariaville, Nebraska: U.S. Geological Survey Water-Resources Investigations Report 87 4073, 25 p.

Citation	Fischer, B.C., Kollasch, K.M., and McGuire, V.L., 2000, Digital data set of water-level changes in the High Plains aquifer in parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming, 1980 to 1997: U.S. Geological Survey Open-File Report 00-96, (http://water.usgs.gov/lookup/getspatial?OFR0096).
Citation	Flowerday, C.A. and Diffendal, R.F. Jr., editors, 1997: Geology of Niobrara State Park, Knox County, Nebraska, and adjacent areas, with a brief history of the Park, Gavins Point Dam, and Lewis and Clark Lake: Conservation and Survey Division, Institute of Agriculture and Natural Resources, University of Nebraska-Lincoln, 1997, Educational Circular 13, 28 pages.
Citation	Gosselin, D.C., 1991, Bazile Triangle Groundwater Quality Study: University of Nebraska, Conservation and Survey Division Nebraska Water Survey Paper Number 68, March 199, 29 pages.
Citation	Hanson B.V., 1985, Groundwater Level Decline and Potential Groundwater Storage O'Neill Reclamation District, Nebraska: UNL Conservation and Survey Division, January 31, 1985, 60 pages, 6 plates.
	<u> </u>

Group (late Oligocene-early Miocene), Nebraska, Thesis (Ph.D.)--University of Nebraska--Lincoln, 2004.

> Hedman, E. R., Engel, Glenn B., 1989, Flow characteristics for selected streams in the Great Plains subregion of the central midwest regional aquifer system and selected adjacent areas--Kansas and Nebraska, and parts of Colorado, Iowa, Missouri, New Mexico, Oklahoma, South Dakota, Texas and Wyoming: Hydrologic Atlas 708.

Hayes, F.G., 2004, Paleomagnetics and biostratigraphy of the Pine Ridge Arikaree

Citation

Citation

Citation	Heimes, F.J., and Luckey, R.R., 1983, Estimating 1980 ground-water pumpage for irrigation on the High Plains in parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming: U.S. Geological Survey Water-Resources Investigations Report 83-4123, 36 p.
Citation	Helgesen, J.O., Leonard, R.B., and Wolf, R.J., 1993, Hydrology of the Great Plains Aquifer System in Nebraska, Colorado, Kansas, and Aduacent Areas: U.S. Geological Survey Professional Paper 1414-E, 80 pages, 10 plates (photocopy).
Citation	Hermsmeyer, B., 1991, Nebraska Long Pine Creek Rural Clean Water Program 10 Year Report December, 1991: Prepared by Betty Hermsmeyer Agricultural Stabilization and Conservation Service, Brown County Agricultural Stabilization and Conservation Service (ASCS) Ainsworth, NE, 275 pages.
Citation	Kastner, W.M., Schild, D.E. and Spahr, D.S., 1989, Water-level changes in the High Plains aquifer underlying parts of South Dakota, Wyoming, Nebraska, Colorado, Kansas, New Mexico, Oklahoma, and TexasPredevelopment through nonirrigation season 1987-88: U.S. Geological Survey Water- Resources Investigations Report 89 4073, 61 p.
Citation	Keech, C.F., 1957, Water levels in observation wells in Nebraska during 1956: U.S. Geological Survey Open File Report 57-61,123p.
Citation	Keech, C.F., 1964, Ground-water resources of Mirage Flats, Nebraska: U.S. Geological Survey Water-Supply Paper 1779-BB, 36 p.
Citation	Lichtler, W.F., Stannard, D.I., and Kouma, E., 1980, Investigation of artificial recharge of aquifers in Nebraska: U.S. Geological Survey Open-File Report 80-93, 112 p.

Citation	Maret, T., 1985, Water Quality in the Long Pine Rural Cean Water Project 1979-1985: NE Department of Environmental Control, December 1985.
Citation	McGrath, T.S., and Dugan, J.T., 1993, Water-level changes in the High Plains aquiferPredevelopment to 1991: U.S. Geological Survey Water-Resources Investigations Report 93-4088, 53 p.
Citation	McGuire, V.L., and Sharpe, J.B., 1997, Water-level changes in the High Plains aquifer, 1980 to 1995: U.S. Geological Survey Fact Sheet FS-068-97, 4 p., http://www-ne.cr.usgs.gov/highplains/hpfs95_txt.html http://www-ne.cr.usgs.gov/highplains/hpfs95_txt.html
Citation	McGuire, V.L., and Fischer, B.C., 1999, Water-level changes, 1980 to 1997, and saturated thickness, 1996 97, in the High Plains aquifer: U.S. Geological Survey Fact Sheet FS-124-99, 4 p., http://www-ne.cr.usgs.gov/highplains/hp97_web_report/fs-124-99.htm
Citation	McGuire, V.L., 2001, Water-level changes in the High Plains aquifer, 1980 to 1999: U.S. Geological Survey Fact Sheet FS-029-01, 2 p.
Citation	McGuire, V.L., 2003, Water-level changes in the High Plains aquifer, predevelopment to 2001, 1999 to 2000, and 2000 to 2001: U.S. Geological Survey Fact Sheet 078-03, 4 p. http://water.usgs.gov/pubs/fs/FS078-03/
Citation	McGuire, V.L., Johnson, M.R., Schieffer, R.L., Stanton, J.S., Sebree, S.K., and Verstraeten, I.M., 2003, Water in storage and approaches to ground-water management, High Plains aquifer, 2000: U.S. Geological Survey Circular 1243, 51 p., http://pubs.water.usgs.gov/circ1243

Citation	McGuire, V.L., 2004, Water-level changes in the High Plains aquifer, predevelopment to 2002, 1980 to 2002, and 2001 to 2002: U.S. Geological Survey Fact Sheet 2004-3026, 6 p., http://water.usgs.gov/pubs/fs/2004/3026/
Citation	McLean, J.S., Chen, H.H., and Goeke, J.W., 1997, Simulation of ground-water flow in the High Plains aquifer, southern sandhills area, west-central Nebraska: U.S. Geological Survey Open-File Report 96 206, 16 p.
Citation	Miller, J.A., and Appel, C.L., 1997, Ground water atlas of the United States—Segment 3, Kansas, Missouri, Nebraska: U.S. Geological Survey Hydrologic Atlas HA 730-D, 24 p.
Citation	Nash, K.G., 1978, Geochemistry of selected closed basin lakes in Sheridan County, Nebraska, Thesis (M.S.)University of Nebraska, Lincoln.
Citation	Nebraska Department of Natural Resources, 2004, Irrigation and Reclamation Districts and Water Delivery Companies, September 2004, 32 pages.
Citation	Nebraska Game and Parks Commission, 1983, NEBRASKAland Magazine's Nebraska Rivers: Published by the Nebraska Game and Parks Commission, Vol. 61, No. 1, January-February 1983, 146 pages.
Citation	Nebraska Natural Resources Commission, 1976, Niobrara River Basin water quality management plan / prepared by Nebraska Natural resources Commission for implementation by Nebraska Department of Environmental Control, in cooperation with the Nebraska State Office of Planning and Programming, November, 1976.

Citation	Nebraska Natural Resources Commission, 1986, Policy Issue Study on Integrated Management of Surface Water and Groundwater, State Water Planning and Review Process Nebraska Natural Resources Commission, April 1986, 139 pages.
Citation	Nebraska Natural Resources Commission, 1998, Estimated Water Use In Nebraska, 1995: Prepared in Cooperation with the U.S. Geological Survey, April 1998, 64 pages.
Citation	Nebraska State Planning Board, 1936, Water resources, Nebraska: river basins, Platte River, Hat Creek, White River, Niobrara River, Elkhorn River, Minor Missouri River, above mouth of the Platte, Nebraska: Nebraska State Planning Board, 1936.
Citation	Nebraska Water Resources Center University of Nebraska-Lincoln, 1982, Water Resources Publications Related to the State of Nebraska, Fifth Edition, NWRC Publication No. 7, 165 pages.
Citation	Newport, T. G., and Krieger, R. A., 1959, Ground-water resources of the lower Niobrara River and Ponca Creek basins, Nebraska and South Dakota: U.S. Geological Survey Water-Supply Paper 1460-G, p. 273-323.
Citation	Pettijohn, R.A., and Chen, H.H., 1983a, Geohydrology of the High Plains aquifer system in Nebraska: U.S. Geological Survey Open-File Report 82-502, scale 1:175,000, 3 sheets.
Citation	Pettijohn, R.A., and Chen, H.H., 1983b, Hydraulic conductivity, specific yield, and pumpage-High Plains aquifer system, Nebraska: U.S. Geological Survey Water-Resources Investigations Report 82 4014, scale 1:175,000, 3 sheets.

Citation	Pettijohn, R.A. and Chen, H., 1984, Hydrologic Analysis of the High Plains Aquifer System in Box Butte County, Nebraska: U.S. Geological Survey Water-Resources Investigations 84-4046, 54 pages.
Citation	Reed, E.C., 1944, Groundwater Survey of Area North of O'Neill, Holt County, Nebraska: UNL Conservation and Survey Division, Nebraska Water Survey Paper Number 2, December 1944, 26 pages.
Citation	Reed, E.C. and Dreeszen, V.H., 1965, Revision of the Classification of the Pleistocene Deposits of Nebraska: Nebraska Geological Survey Bulletin, No. 23 June 1965, Published by the University of Nebraska Conservation and Survey Division, 65 pages.
Citation	Sailer, L.E., 1976, Taxonomy and ecology of freshwater ostracodes of a few selected lakes in Sheridan county, Nebraska, Thesis (M.S.)University of Nebraska, Lincoln.
Citation	Savage, C., 1985, Pump Test and Geologic Evaluation of Water Supply Alternatives State-Led O'Neill Alternatives Study (Appendix G), February 1985, 26 pages, Appendix: 114 pages.
Citation	Schulte, J.J., 1952, The bedrock geology of Knox County, Nebraska: Thesis (M.S.)University of Nebraska (Lincoln campus),1952.
Citation	Simpson, H.E., 1960, Geology of the Yankton Area South Dakota and Nebraska: U.S. Geological Survey Professional Paper 328, 124 pages, 13 plates.

Citation	Smith, F.A., 1958, Logs of test holes Antelope, Boone, Knox, and Pierce Counties, Nebraska: test holes drilled by the Conservation and Survey Division, the University of Nebraska in cooperation with the Geological Survey, United States Department of the Interior, [s.l.: s.n.], 1958.
Citation	Souders, V. L., and Shaffer, F. B., 1969, Water resources of Antelope County, Nebraska: U.S. Geological Survey Hydrologic Investigations Atlas HA-316, 5 maps on 3 sheets
Citation	Souders, V.L, 1976, Physiography, geology, and water resources of Boyd County, Nebraska / Vernon L. Souders; prepared in cooperation with U.S. Geological Survey, Conservation and Survey Division, Institute of Agriculture and Natural Resources, University of NebraskaLincoln, 1976, Nebraska Water Survey Paper Number 42, 113 pages, 21 illustrations.
Citation	Spellman, J.W., 1976, The geology of a gypsum deposit in northwest Dawes County, Nebraska, Thesis (M.S.)University of Nebraska, Lincoln.
Citation	Steele, G.V., Verstraeten, I.M., and Cannia, J.C., 2001, Surface-water/ground-water interaction and implications for ground-water sustainability in the Dutch Flats area, western Nebraska: U.S.Geological Survey Fact Sheet-074-01, 4 p.
Citation	Swinehart, J.B., Souders, V.L., DeGraw, H.M., and Diffendal, R.F. Jr., 1985, Cenozoic Paleogeography of Western Nebraska: Rocky Mountain Paleogeography Symposium 3, Rocky Mountain Section - S.E.P.M. Cenozoic Paleogeography of the West-Central U.S., R.M. Flores and SS Kaplain, Editors: Denver, CO 1985, pp 209 - 230.
Citation	U.S. Bureau of Reclamation, 1956, Report on the Ainsworth Unit, Nebraska, Missouri River Basin Project, Part I Revised: Department of the Interior, Bureau of Reclamation Region 7 - Denver, Colorado, March 1955, 140 pages.

Citation	U.S. Bureau of Reclamation, 1956, Report on the Lavaca Flats Unit, Nebraska: Department of the Interior, Bureau of Reclamation Region 7 - Denver, Colorado, Septemer 1956, 102 pages.
Citation	U.S. Bureau of Reclamation, 1964, Report on the O'neill Unit, Nebraska Lower Niobrara Division Missouri River Basin Project Part 1: Region 7 Denver Colorado.
Citation	U.S. Bureau of Reclamation, 1965, Report on the Mirage Flats Project, Nebraska: Department of the Interior, Bureau of Reclamation Region 7 - Denver, Colorado, December 1965.
Citation	U.S. Bureau of Reclamation, 168, Technical Record of Design and Construction Merritt Dam: U.S. Bureau of Reclamation, A Water Resources Technical Publication, Denver, Colorado October 1968, 190 pages.
Citation	U.S. Bureau of Reclamation, 1977, Final supplement to the final environmental statement on O'Neill Unit, Lower Niobrara Division, Pick-Sloan Missouri Basin Program, Nebraska / prepared by Regional Office, Lower Missouri Region, Bureau of Reclamation, Denver: The Bureau, 1977-1978, Appenix A Geologic Data.
Citation	U.S. Bureau of Reclamation, 1977, Final supplement to the final environmental statement on O'Neill Unit, Lower Niobrara Division, Pick-Sloan Missouri Basin Program, Nebraska / prepared by Regional Office, Lower Missouri Region, Bureau of Reclamation, Denver: The Bureau, 1977-1978, Appenix B Groundwater Quality Assessment.
Citation	U.S. Bureau of Reclamation, 1981, Appraisal Report Sparks Unit: Nebraska Valentine Division Pick-Sloan Missouri River Basin Program, November 1981.

Citation

U.S. Bureau of Reclamation, 1981, O'Neill Unit, Lower Niobrara Division, Pick-Sloan Missouri Basin Program, Nebraska Liquefaction Support Data for Norden Dam: Department of the Interior/Water and Power Resources Service.

Citation

U.S. Bureau of Reclamation, 1981, O'Neill Unit, Lower Niobrara Division, Pick-Sloan Missouri Basin Program, Nebraska Liquefaction Support Data for Norden Dam, Additional Information on Liquefaction Issues Discussed in Draft Supplement No. 2 to the Final Environmental Statement: Department of the Interior/Water and Power Resources Service.

Citation

U.S. Bureau of Reclamation, 1992, Special Report Ground-Water Recharge Plan O'Neill Unit Pick-Sloan Missouri Basin Program Nebraska: U.S. Bureau of Reclamation Nebraska-Kansas Projects Office Grand Island, Nebraska, January 1992.

Citation

U.S. Geological Survey, 1988, National water summary 1986; hydrologic events and ground-water quality: U.S. Geological Survey Water-Supply Paper 2325, 560 p.

Citation

U.S. Bureau of Reclamation, 1978, Final supplement to the final environmental statement on O'Neill Unit, Lower Niobrara Division, Pick-Sloan Missouri Basin Program, Nebraska / prepared by Regional Office, Lower Missouri Region, Bureau of Reclamation, Denver: The Bureau, 1977-1978.

Citation

U.S. Bureau of Reclamation, 1981, O'Neill unit, lower Niobrara division, Pick-Sloan Missouri basin program, Nebraska: final environmental statement: supplement no. 2 / Department of the Interior, Bureau of Reclamation [Lower Missouri Region]. Denver, Colo.: The Bureau, [1981].

Citation

U.S. Dept. of Agriculture, 1973, Niobrara River Basin, Nebraska, water and related land resources / prepared by U.S. Dept. of Agriculture, Economic Research Service, Forest Service, Soil conservation Service, in cooperation with Niobrara River Association, Nebraska Natural Resources [sic] Commission. [Lincoln, Neb.: U.S. Soil Conservation Service, Dept. of Agriculture], 1973.

Citation

U.S. Dept. of the Interior, 1980, Final environmental statement, DRAFT, supplement no. 2, O'Neill Unit, Lower Niobrara Division, Pick-Sloan Missouri Basin Program, Nebraska / Water and Power Resources Service. [Denver: s.n.], 1980

Citation

University of Nebraska-Lincoln, 1987, The decade of North American Geology. Field guides for Nebraska: University of Nebraska-Lincoln, Nebraska Geological Survey, Conservation and Survey Division, IANR, the Department of Geology and the Nebraska State Museum, 42 p.

Citation

UNL Conservation and Survey Division, 1993, Research Symposium Environmental and Natural Resources o fteh Niobrara River Basin (Oct. 14-15, 1993 Ainsworth, Nebraska), Sponsors: Cooperative Extension, Ainsworth Office University of Nebraska, Middle Niobrara NRD National Park Service U.S. Department of the Interior, Water Center/Environmental Programs Institute of Agriculture and Natural Resources UNL.

Citation

UNL Conservation and Survey Division, 1998, The Groundwater Atlas of Nebraska: UNL Conservation and Survey Division, Resource Atlas No. 4a/1998 Second (revised) edition, 44 pages.

Citation

Utah State University Foundation, 1976, Prefeasibility Study of an Irrigation Project in the Ponca Creek Basin of Boyd County, Nebraska Utilizing the Proposed Boyd County Pumped Storage Project: Condected for Chas. T. Main, Inc., April 1976 Jerald E. Christiansen, Project Leader.

Citation	Voorhies, M.R., 1969, Taphonomy and population dynamics of an early Pliocene vertebrate fauna, Knox County, Nebraska: Laramie, University of Wyoming, 1969.
Citation	Voorhies, M.R., 1988, Vertebrate paleontology of the proposed Norden Reservoir Area: Brown, Cherry and Keya Paha counties, Nebraska. Lincoln: Division of Archeological Research, Dept. of Anthropology, University of Nebraska-Lincoln, [1988?]
Citation	Weeks, J.B., and Gutentag, E.D., 1981, Bedrock geology, altitude of base, and 1980 saturated thickness of the High Plains aquifer in parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming: U.S. Geological Survey Hydrologic Investigations Atlas HA-648, scale 1:2,500,000, 2 sheets.
Citation	Weeks, J.B., Gutentag, E.D., Heimes, F.J., and Luckey, R.R., 1988, Summary of the High Plains regional aquifer system-System analysis in parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming: U.S. Geological Survey Professional Paper 1400-A, 30 p.
Citation	Wen, F.J., Chen, X.H., 2005, Streamflow Trends and Depletion Study in Nebraska - With a Focus on the Republican River Basin, Water Resources Research (In Review).
Citation	Winter, T.C., Harvey, J.W., Franke, O.L. and Alley, W.M., 1998, Ground water and surface water; a single resource: U.S. Geological Survey Circular 1139, 79p
Citation	Yatkola, D.A., 1978, Tertiary Stratigraphy of the Niobrara River Valley, Marsland Quadrangle, Western Nebraska: UNL Conservation and Survey Division, Nebraska Geological Survey Paper 19, 66 pages, 6 plates.